

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 11-031059

(43)Date of publication of application : 02.02.1999

(51)Int.Cl.

G06F 3/12

B41J 5/30

B41J 29/38

G06F 3/14

(21)Application number : 09-186198

(71)Applicant : CANON INC

(22)Date of filing : 11.07.1997


(72)Inventor : TAIRA KAZUNORI

(54) PRINT CONTROL DEVICE AND METHOD, AND STORAGE MEDIUM STORING COMPUTER READABLE PROGRAM

(57)Abstract:

PROBLEM TO BE SOLVED: To enable a user to easily select and designate a printer to obtain his desired print result while making the user recognize visually his desired printer with no dependence on the print information by selecting and designating a desired print image and transferring the print information received from an application based on a print image selection designation to one of corresponding printers.

SOLUTION: When a print request is designated from an application, an optional negative print image list is shown on a CRT 10 based on the print setting information stored in an ROM 3. Then a CPU 1 transfers the print information received from the application to one (printer 1000) of corresponding printers based on the print image selection designation received via a keyboard 9. Thus, each selectable printer 1000 and the print image of the print information to be printed by each printer 1000 can be visually confirmed. Then a desired printer 1000 can be freely and accurately selected.



(19) 日本国特許庁 (J P)

(12) 公 開 特 許 公 報 (A)

(11) 特許出願公開番号

特開平11-31059

(43) 公開日 平成11年(1999) 2月2日

(51) Int.Cl. ⁸	識別記号	F I	
G 0 6 F 3/12		G 0 6 F 3/12	D
			N
B 4 1 J 5/30		B 4 1 J 5/30	Z
29/38		29/38	Z
G 0 6 F 3/14	3 4 0	G 0 6 F 3/14	3 4 0 A
審査請求 未請求 請求項の数 7 O L (全 10 頁)			

(21) 出願番号 特願平9-186198

(22) 出願日 平成9年(1997) 7月11日

(71) 出願人 000001007

キヤノン株式会社

東京都大田区下丸子3丁目30番2号

(72) 発明者 平 和憲

東京都大田区下丸子3丁目30番2号 キヤ
ノン株式会社内

(74) 代理人 弁理士 小林 将高

(54) 【発明の名称】 印刷制御装置および印刷制御方法およびコンピュータが読み出し可能なプログラムを格納した記憶媒体

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

.....



.....

• • •

10

20

30

40

50

10

20

30

40

50

10

20

30

40

50

A 10x10 grid of dots. The first two rows and the first two columns of dots are highlighted, forming a 2x2 square of dots in the top-left corner.

A 10x10 grid of dots. In the top-left corner, the number '10' is handwritten in a dark, slightly slanted font. The grid consists of 10 rows and 10 columns of dots, with the '10' positioned at the top of the first column.



A 10x10 grid of dots. The dot at the center, which is the 5th dot from the left and the 5th dot from the top, is labeled with the number '20'.


A 10x10 grid of dots. The number 30 is printed in the center of the grid, specifically between the 5th and 6th columns and the 5th and 6th rows.

40

.....50.....

• • •





41 プリンタ名	42 印刷方式	43 カラー/モノクロ	44 用紙	45 サイズ	46 インク/トナー	47 印刷目的	48 設置場所
P1	インクジェット	カラー	普通紙	A4	カラー	文書	PC1 横
P2	インクジェット	カラー	普通紙	A3	カラー	図形	PC2 横
P3	電子写真	モノクロ	普通紙	A4/A3	モノクロ	文書	PC3 横
P4	インクジェット	カラー	専用光沢紙	A4	カラー	写真	PC4 横
P5	電子写真	カラー	普通紙	A4/A3	カラー	DTP	PC5 横
P6	熱転写	カラー	専用紙	A4	カラー	写真	PC6 横

